



Product name

3-jaw "alligator" puller with pre-settable jaws

For removing bearings, gears, discs, etc.

Art. No. 12-1

Series 12

EAN 4021176006616



	Technical attribute	Metric	Imperial
	Spread	20 - 100 mm	3/4 - 3 7/8 inch
	Depth	100 mm	3 7/8 inch
	Hexagon drive (male)	17 mm	
	max. Maximum load	8 t	8.5 US t
	max. Maximum torque	180 Nm	132.5 ft lb
	Weight	1.24 kg	
	Space below	17 mm	5/8 inch
	Space next to it	25 mm	1 inch
	Number of jaws	3	3



Technologies



SELFLOCK

The tight, centered clamping of the jaws via locking screw prevents the hooks from moving or slipping.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part



Art. No.	Product name
12-1-T	Cross-beam
12-1-100-S	3 pulling arms (set)
12-1-206	Cross-beam internal bushing, with spindle
12-1-8	Key
614135	Mechanical pressure spindle.

Accessories



Art. No.	Product name
K-600-014	Set of interchangeable pressure pads for KUKKO pressure screws

Part of

Art. No.	Product name
EVLW-2-INDUSTRIE	Display



Drehbares Wechseldruckstück
mit Kugel und Spitze



 Kleinbongartz & Kaiser oHG Werkzeugfabrik Hilden - Germany	Dokumentname: 12-1_3-armiger Abzieher-Alligator	Toleranz: DIN ISO 2768-m
	Dokumentbeschreibung: Baugruppe	Material: Hoch legierter Werkzeugstahl / High alloy tool steel
Erstellt von: Schultes	Erstellungsdatum: 07/04/2016	Maßstab: 1:1
Teilbeschreibung: 12-1_3-armiger Abzieher-Alligator/ 3-jaw "alligator" puller with pre-settable jaws		Wärmebehandlung / Härte: vergüteter Stahl/ tempered steel Oberflächenbehandlung:
Artikelnummer / ZNR.: 12-1_3	Dokumentversion: -	Schutzvermerk ISO 16616 beachten