



Product name

## 3-jaw "alligator" puller with pre-settable jaws

For removing bearings, gears, discs, etc.

Art. No. 12-2

Series 12

EAN 4021176006791



	Technical attribute	Metric	Imperial
	Spread	35 - 150 mm	1 3/8 - 5 7/8 inch
	Depth	125 mm	4 7/8 inch
	Hexagon drive (male)	19 mm	
	max. Maximum load	9 t	9.5 US t
	max. Maximum torque	190 Nm	140 ft lb
	Weight	1.72 kg	
	Space below	20 mm	3/4 inch
	Space next to it	27 mm	1 1/16 inch
	Number of jaws	3	3




## Technologies



### **SELFLOCK**

The tight, centered clamping of the jaws via locking screw prevents the hooks from moving or slipping.



### **SWITCH**

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
12-2-T	Cross-beam
12-2-125-S	3 pulling arms (set)
12-2-206	Cross-beam internal bushing, with spindle
12-2-8	Key
618175	Mechanical pressure spindle.

## Accessories

<b>Art. No.</b>	<b>Product name</b>
K-600-018	Set of interchangeable pressure pads for KUKKO pressure screws

## Part of

<b>Art. No.</b>	<b>Product name</b>
EVLW-2-INDUSTRIE	Display
EVLW-INDUSTRIE BASIC	Display