



Product name

3-jaw "alligator" puller with presettable jaws

For removing bearings, gears, discs, etc.

Art. No.	12-3	
Series	12	
EAN	4021176006876	

	Technical attribute	Metric	Imperial
\Box	Spread	50 - 200 mm	2 - 7 7/8 inch
	Depth	165 mm	6 1/2 inch
	Hexagon drive (male)	24 mm	
max.	Maximum load	10 t	11 US t
max.	Maximum torque	250 Nm	184 ft lb
$\Delta^{\dagger}\Delta$	Weight	3.5 kg	
± ↑	Space below	28 mm	1 1/8 inch
	Space next to it	35 mm	1 3/8 inch
×	Number of jaws	3	3



Technologies



SELFLOCK

The tight, centered clamping of the jaws via locking screw prevents the hooks from moving or slipping.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

Art. No.	Product name
12-3-T	Cross-beam
12-3-180-S	3 pulling arms (set)
12-3-206	Cross-beam internal bushing, with spindle
12-3-8	Кеу
623230	Mechanical pressure spindle.

Accessories

Art. No.	Product name
K-600-025	Set of interchangeable pressure pads for KUKKO pressure screws