



Product name *

Universal 2-jaw puller "Economy

For removing bearings, gears, discs, etc.

Art. No. 120-30

Series 120

EAN 4021176918759



| | Technical attribute | Metric | Imperial |
|--------------------|----------------------|-------------|---------------------|
| ф | Spread | 60 - 350 mm | 2 3/8 - 13 3/4 inch |
| Ţ | Depth | 200 mm | 7 7/8 inch |
| | Hexagon drive (male) | 24 mm | |
| max. | Maximum load | 4 t | 4,40 US t |
| Δ,Ω | Weight | 5.025 kg | |
| ± † | Space below | 15 mm | 5/8 inch |
| * - | Space next to it | 43 mm | 1 3/4 inch |
| x | Number of jaws | 2 | 2 |



Technologies



PUSH TO UNLOCK

Release system for quick fixation and easy release.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

| Art. No. | Product name | |
|----------|------------------------------|--|
| 623230 | Mechanical pressure spindle. | |
| 0-200-P | 2 pulling jaws (pair) | |
| 120-30-T | Cross-beam | |

Accessories

| Art. No. | Product name |
|-----------|--|
| K-600-025 | Set of interchangeable pressure pads for KUKKO pressure screws |

120-30 Product data sheet www.kukko.com