



Product name


## Ball joints extractor with short hydraulic spindle










For extracting particularly tight ball pins when dismantling ball joints, track-rod ends on track rods, for medium-sized heavy goods vehicles, buses and construction vehicles.

Art. No. 129-3-H

Series 129-H

EAN 4021176803253



	Technical attribute	Metric	Imperial
	Fork opening	31 mm	1 1/4 inch
	Opening range	70 mm	2 3/4 inch
 DIN ISO 7803	For ball-joint sizes	35 - 40 mm	
	Application	mittlere LKW, Busse und Baufahrzeuge / medium-sized trucks, busses and construction vehicles	mittlere LKW, Busse und Baufahrzeuge / medium-sized trucks, busses and construction vehicles
	Maximum torque	25 Nm	18.4 ft lb
	Maximum load	10 t	11 US t
	Weight	4.16 kg	
	Mouth height min.	3 - 22 mm	1/8 - 7/8 inch
	Mouth height max.	mm	inch



## Technologies



### HYDRAULIC

Pullers with hydraulic function.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
800	Short hydraulic spindle.
801	Short hydraulic spindle.
129331	Clamping lever
129406	Mechanical screw with accessories
129-3H-T	Frame