



Product name

Tie and connecting rod joint puller









Used for hydraulic extraction of ball pins when dismantling ball joints on connecting and steering tie rods, especially, for trucks and low-floor buses.

Art. No. 129-36

Series 129-36

EAN 4021176865077



	Technical attribute	Metric	Imperial
	Fork opening	36 mm	1 3/8 inch
	Opening range	60 mm	2 3/8 inch
 DIN ISO 7803	For ball-joint sizes	40 mm	
	Application	schwere LKW's, Niederflurbusse, speziell MB Citaro / heavy trucks, low- floor especially for MB Citaro	schwere LKW's, Niederflurbusse, speziell MB Citaro / heavy trucks, low- floor especially for MB Citaro
	Weight	5.395 kg	
	Mouth height min.	5 - 20,5 mm	3/16 - 7/8 inch
	Mouth height max.	mm	inch
	Maximum load		0 US t



has to be accomplished with



Lift cylinder

YSM-100



Spare part

Art. No.	Product name
1293614	Frame
1293631	Clamping lever
129-36-ERS	Bolt

Part of

Art. No.	Product name
129-36-H	Tie and connecting rod joint puller with hydraulic lift cylinder

Spare part of

Art. No.	Product name
129-36-H	Tie and connecting rod joint puller with hydraulic lift cylinder