



Product name


Pulling device

For use with series 17, series 15, series 18-AS and series 18-A.

Art. No. 18-1

Series 18

EAN 4021176075674



	Technical attribute	Metric	Imperial
	Distance of side screw	60 - 150 mm	2 3/8 - 5 7/8 inch
	Depth of side screw	122 - 200 mm	4 7/8 - 7 7/8 inch
	Hexagon drive (male)	19 mm	
	Thread	M10	M10
	Maximum load	5 t	5.5 US t
	Maximum torque	70 Nm	51.5 ft lb
	Weight	2.05 kg	



Technologies



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

Art. No.	Product name
618175	Mechanical pressure spindle.
18-1-T	Cross-beam
018265	Side bolt with nut

Accessories

Art. No.	Product name
18-0-AS	Set of screw adapters
18-003A	Threaded adapter
18-004A	Threaded adapter
18-005A	Threaded adapter
18-006A	Threaded adapter
18-008A	Threaded adapter
18-010A	Threaded adapter
18-012A	Threaded adapter
18-016A	Threaded adapter
19-1-P	2 extensions for pulling devices (pair)
K-600-018	Set of interchangeable pressure pads for KUKKO pressure screws



Goes with

Art. No.	Product name
15-1	Separators
17-1	Separator with quick clamping pressure spindle

Part of

Art. No.	Product name
15-A	Separating-set
17-A	Separating-set with quick clamping pressure spindle
WT-019	Puller product range - separating
EVLW-2-KFZ	Merchandiser, automotiv pullers
EVLW-2-NFZ	Merchandiser, automotive pullers / commercial vehicle / agricultural machinery
EVLW-INDUSTRIE BASIC	Display

Spare part of

Art. No.	Product name
15-A	Separating-set
17-A	Separating-set with quick clamping pressure spindle




Also included in

Art. No.

Product name

WT-014

Puller product range - automotive - chassis suspension



**Kleinbongartz
& Kaiser
oHG
Werkzeugfabrik
Hilden - Germany**

Dokumentname:
18-1_Abziehvorrichtung

Toleranz:
DIN ISO 2768-m

Dokumentbeschreibung:
Baugruppe

Material:
Hoch legierter Werkzeugstahl/
High alloy tool steel

Erstellt von:
Breidenbach

Erstellungsdatum:
23/11/2018

Maßstab:
1:2

Teilbeschreibung:

Abziehvorrichtung/
Pulling device

Wärmebehandlung / Härte:

-

Oberflächenbehandlung:

-

Artikelnummer / ZNR.:
18-1

Dokumentversion:
-

Schutzvermerk
ISO 16016
beachten