



Product name \*

# Universal 2-jaw puller with long hydraulic spindle and quick adjusting jaws(including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

Art. No.	20-30+B
Series	20+B
EAN	4021176885907



	Technical attribute	Metric	Imperial
Ū	Spread	65 - 350 mm	2 5/8 - 13 3/4 inch
	Depth	200 mm	7 7/8 inch
Ш	Spread used internal	180 - 440 mm	7 1/8 - 17 3/8 inch
	Hexagon drive (male)	12 mm	
max.	Maximum torque	300 Nm	
max.	Maximum load	10 t	11 US t
$\Delta^{\!\!\!\!\!\!\!\!\!}\Delta$	Weight	9.625 kg	
±	Space below	20 mm	3/4 inch
	Space next to it	67 mm	2 5/8 inch
×	Number of jaws	2	2



## Technologies



#### **GLIDE & FIX**

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



### ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



### **QUICK ADJUST**

The knurls allow the jaws to be quickly released and moved on the cross-beam without the need for tools.



## SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



### HYDRAULIC

Pullers with hydraulic function.



# Spare part

Art. No.	Product name
8-02	Long hydraulic spindle
3-202-P	2 quick adjusting jaws (pair)
20-30-T	2-jaw cross bar

## Accessories

Art. No.	Product name
3-202-E	Jaws, individual

## Content

Art. No.	Product name
8-02	Long hydraulic spindle