



Product name *

Universal 2-jaw puller with narrow jaws, in set, quick adjusting jaws

For removing bearings, gears, discs, etc. for tight or difficult-to-access spaces.

Art. No. 20-30+SP

Series 20+SP

EAN 4021176181085



| | Technical attribute | Metric | Imperial |
|------|----------------------|----------------|----------------------------|
| | Spread | 350 mm | 13 3/4 inch |
| | Depth | 200/300/400 mm | 7 7/8; 11 7/8; 15 3/4 inch |
| | Spread used internal | 180 - 440 mm | 7 1/8 - 17 3/8 inch |
| | Hexagon drive (male) | 27 mm | |
| max. | Maximum load | 7 t | 7.5 US t |
| | Weight | 18.12 kg | |



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



QUICK ADJUST

The knurls allow the jaws to be quickly released and moved on the cross-beam without the need for tools.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Accessories

Art. No.

Product name

K-600-025

Set of interchangeable pressure pads for KUKKO pressure screws