



Product name \*

## Universal 2-jaw puller with long hydraulic spindle and extended jaws(including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

Art. No. 20-4-5-B

Series 20-B

EAN 4021176885976



	Technical attribute	Metric	Imperial
	Spread	80 - 520 mm	3 3/16 - 20 1/2 inch
	Depth	500 mm	19 3/4 inch
	Spread used internal	200 - 590 mm	7 7/8 - 23 inch
	Hexagon drive (male)	36 mm	
max.	Maximum load	15 t	16.5 US t
	Weight	23.89 kg	
	Space below	20 mm	3/4 inch
	Space next to it	67 mm	2 5/8 inch
	Number of jaws	2	2




## Technologies



### GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



### ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



### SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



### HYDRAULIC

Pullers with hydraulic function.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
8-1-B	Long hydraulic spindle
3-500-P	2 extended jaws (pair)
20-4-T	2-jaw cross bar

## Accessories

<b>Art. No.</b>	<b>Product name</b>
633400	Mechanical pressure spindle.
3-200-P	2 pulling jaws (pair)
3-300-P	2 extended jaws (pair)
3-400-P	2 extended jaws (pair)
3-500-E	Jaw with extension (indiv.)
3-250-P	2 pulling jaws (pair)



## Can be used alternatively with

<b>Art. No.</b>	<b>Product name</b>
3-201-P	2 narrow jaws (pair)
3-301-P	2 narrow jaws (pair)
3-401-P	2 narrow jaws (pair)
3-501-P	2 narrow jaws (pair)
3-202-P	2 quick adjusting jaws (pair)
3-302-P	2 quick adjusting jaws (pair)
3-402-P	2 quick adjusting jaws (pair)
3-502-P	2 quick adjusting jaws (pair)
3-203-P	2 narrow, quick adjusting jaws (pair)
3-303-P	2 narrow, quick adjusting jaws (pair)
3-403-P	2 narrow, quick adjusting jaws (pair)
3-503-P	2 narrow, quick adjusting jaws (pair)