



产品名称

通用三爪拉马带可调节范围，长液  
压主轴和HSS

高速钢钻头（包含机械压力螺钉）

用于拉拔特别大的轴承、齿轮、圆盘等。

编号 206-2-B

系列 206-B

EAN 4021176886126



| 技术规格  | 公制          | 英制                  |
|---|-------------|---------------------|
|  跨度        | 37 - 450 mm | 1 1/2 - 15 3/4 inch |
|  深度        | 400 mm      | 15 3/4 inch         |
|  液压主轴的夹紧深度 | 350 mm      | 13 3/4 inch         |
|  可能深度      | 3           | 3                   |
|  max. 最大扭矩 | 300 Nm      |                     |
|  max. 最大负载 | 10 t        | 11 US t             |
|  重量        | 9.42 kg     |                     |
|  下方空间      | 20 mm       | 3/4 inch            |
|  邻近空间      | 46 mm       | 1 7/8 inch          |
|  x 拉马爪数量   | 3           | 3                   |



## 技术



液压

具有液压功能的拉马。



## 配件

| 编号          | 产品名称      |
|-------------|-----------|
| 8-02        | 长液压主轴     |
| 202-3-T     | 横梁        |
| 206-2-400-S | 三个拉马爪 (套) |