



Product name


## 3-jaw combination puller with adjustable reach and swiveling jaws

For removing bearings, gears, discs, etc.

Art. No. 207-02

Series 207

EAN 4021176029981



	Technical attribute	Metric	Imperial
	Spread	26 - 300 mm	1 1/32 - 11 7/8 inch
	Depth	220 mm	8 5/8 inch
	Jaw depth with hydraulic spindle	170 mm	6 3/4 inch
	Number of possible depths	2	2
	Hexagon drive (male)	22 mm	
	Maximum load	7 t	7.5 US t
	Maximum torque	150 Nm	110.5 ft lb
	Weight	3.46 kg	
	Space below	18 mm	3/4 inch
	Space next to it	50 mm	2 inch
	Number of jaws	2/3	2/3



## Technologies



### **SWITCH**

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
621220	Mechanical pressure spindle.
206-02-220-S	3 pulling arms (set)
203-2-T	Cross-beam

## Accessories

<b>Art. No.</b>	<b>Product name</b>
8-01	Long hydraulic spindle
K-600-025	Set of interchangeable pressure pads for KUKKO pressure screws