



Product name \*

## Universal 3-jaw puller with extended jaws

For removing bearings, gears, discs, etc.

Art. No. 30-1-2

Series 30

EAN 4021176730726



|  | Technical attribute  | Metric      | Imperial            |
|--|----------------------|-------------|---------------------|
|  | Spread               | 27 - 90 mm  | 1 1/16 - 3 1/2 inch |
|  | Depth                | 200 mm      | 7 7/8 inch          |
|  | Spread used internal | 70 - 140 mm | 2 3/4 - 5 1/2 inch  |
|  | Hexagon drive (male) | 17 mm       |                     |
|  | Maximum torque       | 80 Nm       |                     |
|  | Maximum load         | 6 t         | 6.5 US t            |
|  | Weight               | 2.445 kg    |                     |
|  | Space below          | 10 mm       | 3/8 inch            |
|  | Space next to it     | 31 mm       | 1 1/4 inch          |
|  | Number of jaws       | 3           | 3                   |



## Technologies



### GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



### ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



### SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



## Spare part

| <b>Art. No.</b> | <b>Product name</b>          |
|-----------------|------------------------------|
| 614160          | Mechanical pressure spindle. |
| 1-190-S         | 3 pulling arms (set)         |
| 30-1-T          | 3-jaw cross bar              |

## Accessories

| <b>Art. No.</b> | <b>Product name</b>  |
|-----------------|--|
| K-600-014       | Set of interchangeable pressure pads for KUKKO pressure screws |
| 1-V-100-S       | 3 jaw extensions (set)   |
| 1-V-150-S       | 3 jaw extensions (set)   |