



Product name

Universal 3-jaw puller with long hydraulic spindle and extended jaws(including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

Art. No.	30-2-3-B
Series	30-B
EAN	4021176886300



	Technical attribute	Metric	Imperial
Ū	Spread	35 - 160 mm	1 3/8 - 6 3/8 inch
	Depth	300 mm	11 7/8 inch
Щ	Spread used internal	100 - 220 mm	3 7/8 - 8 5/8 inch
	Hexagon drive (male)	12 mm	
max.	Maximum torque	150 Nm	
max.	Maximum load	7 t	7.5 US t
$\Delta^{L}\Delta$	Weight	5.6 kg	
±	Space below	9 mm	3/8 inch
→ <u>+</u>	Space next to it	40 mm	1 5/8 inch
×	Number of jaws	3	3



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
8-01	Long hydraulic spindle
2-300-S	3 pulling arms (set)
30-2-T	3-jaw cross bar
621220	Mechanical pressure spindle.

Content

Art. No.	Product name
8-01	Long hydraulic spindle