



Product name

Universal 3-jaw puller with long hydraulic spindle (including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

Art. No. 30-20-B

Series 30-B

EAN 4021176886348



	Technical attribute	Metric	Imperial
	Spread	35 - 200 mm	1 3/8 - 7 7/8 inch
	Depth	150 mm	5 7/8 inch
	Spread used internal	100 - 260 mm	3 7/8 - 10 1/4 inch
	Hexagon drive (male)	12 mm	
	Maximum torque	150 Nm	
	Maximum load	7 t	7.5 US t
	Weight	5.695 kg	
	Space below	9 mm	3/8 inch
	Space next to it	40 mm	1 5/8 inch
	Number of jaws	3	3



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
2-150-S	3 pulling arms (set)
30-20-T3	3-jaw cross bar

Content

Art. No.	Product name
8-01	Long hydraulic spindle

Also included in

Art. No.	Product name
WT-008	Puller product range - commercial vehicles - BASIC
K-2030-20-B	Universal hydraulic 2-jaw and 3-jaw puller set