



Product name

# Puller product range - industrial - BASIC

Art. No. 30-20-T

Series 30-20-T

EAN 4021176875717



	Technical attribute	Metric	Imperial
$\Box$	Spread	0 - 200 mm	0 - 7 7/8 inch
	Depth	100 - 300 mm	3 7/8 - 11 7/8 inch
ğ	Diameter of the shaft	22 - 115 mm	7/8 - 4 1/2 inch
$\nabla, \nabla$	Weight	24.02 kg	
x	Number of jaws	3	3

**30-20-T** Product data sheet www.kukko.com



## **Technologies**



#### **GLIDE & FIX**

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



#### **ARMLOCK**

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



#### **SWITCH**

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



## Content

Art. No.	Product name
20-10	2-jaw puller
20-20	2-jaw puller
15-2	Separators
1-190-S	3 pulling arms (set)
2-300-S	3 pulling arms (set)
1-90-E	Jaws (individual)
2-150-E	Jaw with extension (indiv.)
30-10-T	Cross-beam
30-20-T3	3-jaw cross bar
WT-000	Wall panel, blank

### Part of

Art. No.	Product name
K-2030-20-B	Universal hydraulic 2-jaw and 3-jaw puller set
K-2030-20	Set of universal 2- and 3-jaw pullers
K-2030-20-S	Set of two- and three-arm pullers with narrow jaws

**30-20-T** Product data sheet www.kukko.com



## Spare part of

Art. No.	Product name
K-2030-20-S	Set of two- and three-arm pullers with narrow jaws

**30-20-T** Product data sheet www.kukko.com