



Product name

Universal 3-jaw puller with long hydraulic spindle and quick adjusting jaws (including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

Art. No. 30-20+B

Series 30+B

EAN 4021176886324



	Technical attribute	Metric	Imperial
	Spread	35 - 200 mm	1 3/8 - 7 7/8 inch
	Depth	150 mm	5 7/8 inch
	Spread used internal	100 - 260 mm	3 7/8 - 10 1/4 inch
	Hexagon drive (male)	12 mm	
	Maximum torque	150 Nm	
max.	Maximum load	7 t	7.5 US t
	Weight	5.64 kg	
	Space below	4 mm	3/16 inch
	Space next to it	19 mm	3/4 inch
J _x	Number of jaws	3	3



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



QUICK ADJUST

The knurls allow the jaws to be quickly released and moved on the cross-beam without the need for tools.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
8-01	Long hydraulic spindle
2-152-S	3 quick adjusting jaws (set)
30-20-T3	3-jaw cross bar

Accessories

Art. No.	Product name
2-302-S	3 pulling arms (set)

Content

Art. No.	Product name
8-01	Long hydraulic spindle



Also included in

Art. No.

Product name

WT-002

Puller product range - hydraulic exterior pulling - TOP