



Product name


Universal 3-jaw puller

For removing bearings, gears, discs, etc.

Art. No. 30-2

Series 30

EAN 4021176013478



	Technical attribute	Metric	Imperial
	Spread	35 - 160 mm	1 3/8 - 6 3/8 inch
	Depth	150 mm	5 7/8 inch
	Spread used internal	100 - 220 mm	3 7/8 - 8 5/8 inch
	Hexagon drive (male)	22 mm	
	Maximum load	7 t	7.5 US t
	Maximum torque	150 Nm	110.5 ft lb
	Weight	3.815 kg	
	Space below	9 mm	3/8 inch
	Space next to it	40 mm	1 5/8 inch
	Number of jaws	3	3



Technologies



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



Spare part

Art. No.	Product name
621220	Mechanical pressure spindle.
2-150-S	3 pulling arms (set)
30-2-T	3-jaw cross bar

Accessories

Art. No.	Product name
8-01	Long hydraulic spindle
2-300-S	3 pulling arms (set)
2-151-S	3 narrow jaws (set)
2-301-S	3 narrow jaws (set)
2-V-150-S	3 jaw extensions (set)