



Product name \*

# Universal 3-jaw puller with long hydraulic spindle and extended jaws(including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

Art. No.	30-3-3-B
Series	30-B
EAN	4021176886362



	Technical attribute	Metric	Imperial
ψ	Spread	46 - 250 mm	1 7/8 - 9 7/8 inch
	Depth	300 mm	11 7/8 inch
μ	Spread used internal	180 - 340 mm	7 1/8 - 13 3/8 inch
	Hexagon drive (male)	12 mm	
max.	Maximum torque	250 Nm	
max.	Maximum load	10 t	11 US t
$\Delta^{}\Delta$	Weight	10.8 kg	
± <b>*</b>	Space below	20 mm	3/4 inch
	Space next to it	67 mm	2 5/8 inch
×	Number of jaws	3	3



### Technologies



#### **GLIDE & FIX**

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



#### ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



#### SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



### HYDRAULIC

Pullers with hydraulic function.



## Spare part

Art. No.	Product name
8-02	Long hydraulic spindle
3-300-S	3 pulling arms (set)
30-3-T	3-jaw cross bar

### Content

Art. No.	Product name
8-02	Long hydraulic spindle