



Product name *

Universal 3-jaw puller with long hydraulic spindle and extended jaws(including mechanical pressure screw)

For pulling particularly tight bearings, gears, discs, etc.

| Art. No. | 30-3-4-B |
|----------|---------------|
| Series | 30-B |
| EAN | 4021176886379 |



| | Technical attribute | Metric | Imperial |
|-------------------------------------|----------------------|--------------|---------------------|
| Ū | Spread | 46 - 250 mm | 1 7/8 - 9 7/8 inch |
| | Depth | 400 mm | 15 3/4 inch |
| Ш | Spread used internal | 180 - 340 mm | 7 1/8 - 13 3/8 inch |
| | Hexagon drive (male) | 12 mm | |
| max. | Maximum torque | 250 Nm | |
| max. | Maximum load | 10 t | 11 US t |
| $\Delta^{\!\!\!\!\!\!\!\!\!}\Delta$ | Weight | 14.73 kg | |
| ± | Space below | 20 mm | 3/4 inch |
| | Space next to it | 67 mm | 2 5/8 inch |
| × | Number of jaws | 3 | 3 |



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



HYDRAULIC

Pullers with hydraulic function.



Spare part

| Art. No. | Product name |
|----------|------------------------|
| 8-02 | Long hydraulic spindle |
| 3-400-S | 3 pulling arms (set) |
| 30-3-T | 3-jaw cross bar |

Content

| Art. No. | Product name |
|----------|------------------------|
| 8-02 | Long hydraulic spindle |