



Product name *


Universal 3-jaw puller with narrow jaws

For removing bearings, gears, discs, etc. for tight or difficult-to-access spaces.

Art. No. 30-3-S

Series 30-S

EAN 4021176728013



	Technical attribute	Metric	Imperial
	Spread	46 - 250 mm	1 7/8 - 9 7/8 inch
	Depth	200 mm	7 7/8 inch
	Spread used internal	180 - 340 mm	7 1/8 - 13 3/8 inch
	Hexagon drive (male)	27 mm	
	Maximum load	13,5 t	14,5 US t
	Maximum torque	390 Nm	287 ft lb
	Weight	9.365 kg	
	Space below	6,5 mm	1/4 inch
	Space next to it	52 mm	2 1/16 inch
	Number of jaws	3	3




Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

Art. No.	Product name
626300	Mechanical pressure spindle.
3-201-S	3 narrow jaws (set)
30-3-T	3-jaw cross bar

Accessories

Art. No.	Product name
3-301-S	3 narrow jaws (set)
3-401-S	3 narrow jaws (set)
3-501-S	3 narrow jaws (set)
K-600-025	Set of interchangeable pressure pads for KUKKO pressure screws