

Product name


## 3-jaw combination puller with locking mechanism

For removing bearings, gears, discs, etc.

Art. No. 486-1

Series 486

EAN 4021176019753



	Technical attribute	Metric	Imperial
	Spread	22 - 160 mm	7/8 - 6 3/8 inch
	Spread used internal	55 - 180 mm	2 3/16 - 7 1/8 inch
	Depth	130 mm	5 1/8 inch
	Maximum torque	60 Nm	
	Maximum load	4 t	4,41 US t
	Weight	2.41 kg	
	Space below	10 mm	3/8 inch
	Space next to it	27 mm	1 1/16 inch



## Technologies



### **AUTOGRIP**

The jaws clamp and center automatically.



### **SWITCH**

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



### **WAVESPRING**

Especially compact for 50% space savings.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
486114	Cross-beam
486-1-A	1 external replacement jaw included
486-1-I	1 internal replacement jaw included
614242	Spindle
486051	Plug pin set (3 pcs.)
GA1415-12	Threaded adapters (IG + AG)
VM1615-12	female adapter

## Accessories

<b>Art. No.</b>	<b>Product name</b>
22-0-1	Slide hammer device
G-22	3-K handle for slide hammers