

Product name

Mechanical pressure spindle.

As a replacement part or supplement to your Kukko puller.



| Art. No. | 612130 |
|----------|---------------|
| Series | 6 |
| EAN | 4021176077081 |



| | Technical attribute | Metric | Imperial |
|--------------------------|--------------------------------------|----------|----------|
| | Thread | M 12x1,5 | M 12x1,5 |
| | Diameter of thread | 12 mm | |
| Ī | Length of spindle | 130 mm | |
| | Thread dimensions | 4,50 mm | |
| | Wrench size | 13 mm | |
| $\left(\right)$ | Two-sided spindle tip | 612140 | 612140 |
| -)- | Mounting diameter of the spindle tip | 6,4 mm | |
| $\Delta^{\dot{-}}\Delta$ | Weight | 0.115 kg | |

KUKKO // Pull forward



Technologies



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

| Art. No. | Product name |
|----------|-----------------------|
| 612140 | Two-sided spindle tip |

Spare part of

| Art. No. | Product name |
|----------|---|
| 14-01 | 2-jaw puller with quick adjusting capability and T-jaws with claw feet |
| 14-1 | 2-jaw pullers with quick adjusting capability and T-jaws with claw feet |
| 15-К | Separating-set |
| 17-К | Separating-set with quick clamping pressure spindle |
| 18-0 | Pulling device |
| 44-1 | Universal 2-jaw puller with self-centering jaws |
| 45-1 | Universal 3-jaw puller with self-centering jaws |