



Product name

# Universal 2-jaw puller with short hydraulic spindle and self-centering jaws

For pulling particularly tight bearings, gears, discs, etc.

Art. No. 844-2-B

Series 844

EAN 4021176031946



	Technical attribute	Metric	Imperial
Ū	Spread	75 - 150 mm	3 - 5 7/8 inch
Ţ	Depth	150 mm	5 7/8 inch
max.	Maximum load	10 t	11 US t
max.	Maximum torque	40 Nm	29.5 ft lb
$\nabla$ , $\nabla$	Weight	4.045 kg	
± <b>*</b>	Space below	6,5 mm	1/4 inch
* <b>!-</b>	Space next to it	38 mm	1 1/2 inch
×	Number of jaws	2	2

844-2-B Product data sheet www.kukko.com



# Technologies



#### **AUTOGRIP**

The jaws clamp and center automatically.



#### **HYDRAULIC**

Pullers with hydraulic function.



# Spare part

Art. No.	Product name
844-020	Thread bushing for pullers 844 and 845
800	Short hydraulic spindle.
844-000	Cross-beam for 2-jaw puller 844
844-150	Jaws (individual)

### Accessories

Art. No.	Product name
8-HP-100	Long hydraulic spindles with handle

## Part of

Art. No.	Product name
845-150	Hydraulic "4 Pullers" - Set with self-centering pulling jaws
845-851	Hydraulic "10 Pullers" - Set with self-centering pulling jaws
845-855	Universal hydraulic puller set with separator
845-858	Universal hydraulic puller and extractor set with self-centering jaws with separator

**844-2-B** Product data sheet www.kukko.com



## Also included in

Art. No.	Product name
845-150	Hydraulic "4 Pullers" - Set with self-centering pulling jaws
845-851	Hydraulic "10 Pullers" - Set with self-centering pulling jaws
845-855	Universal hydraulic puller set with separator
845-858	Universal hydraulic puller and extractor set with self-centering jaws with separator

**844-2-B** Product data sheet www.kukko.com