



Product name

Universal 2-jaw puller with short hydraulic spindle and selfcentering jaws

For pulling particularly tight bearings, gears, discs, etc.

Art. No.	844-4-B	
Series	844	
EAN	4021176076091	回起步

	Technical attribute	Metric	Imperial
\Box	Spread	100 - 200 mm	3 7/8 - 7 7/8 inch
	Depth	200 mm	7 7/8 inch
max.	Maximum load	10 t	11 US t
max.	Maximum torque	40 Nm	29.5 ft lb
$\Delta^{L}\Delta$	Weight	4.9 kg	
±	Space below	6,5 mm	1/4 inch
→ \ -	Space next to it	42 mm	1 5/8 inch
×	Number of jaws	2	2

KUKKO // Pull forward



Technologies



AUTOGRIP

The jaws clamp and center automatically.



HYDRAULIC Pullers with hydraulic function.



Spare part

Art. No.	Product name
844-020	Thread bushing for pullers 844 and 845
800	Short hydraulic spindle.
844-000	Cross-beam for 2-jaw puller 844
844-200	Jaws (individual)

Accessories

Art. No.	Product name
8-HP-100	Long hydraulic spindles with handle

Part of

Art. No.	Product name
845-250	Hydraulic "6 Pullers" - Set with self-centering pulling jaws
845-851	Hydraulic "10 Pullers" - Set with self-centering pulling jaws
845-855	Universal hydraulic puller set with separator
845-858	Universal hydraulic puller and extractor set with self-centering jaws with separator



Also included in

Art. No.	Product name
845-250	Hydraulic "6 Pullers" - Set with self-centering pulling jaws
845-851	Hydraulic "10 Pullers" - Set with self-centering pulling jaws
845-855	Universal hydraulic puller set with separator
845-858	Universal hydraulic puller and extractor set with self-centering jaws with separator