



Product name

Universal 3-jaw puller with short hydraulic spindle and self-centering jaws

For pulling particularly tight bearings, gears, discs, etc.

Art. No. 845-2-B

Series 845

EAN 4021176033438



	Technical attribute	Metric	Imperial
Ū	Spread	75 - 150 mm	3 - 5 7/8 inch
Ţ	Depth	150 mm	5 7/8 inch
max.	Maximum load	10 t	11 US t
max.	Maximum torque	40 Nm	29.5 ft lb
Δ,Ω	Weight	2 kg	
± 1	Space below	6,5 mm	1/4 inch
* *	Space next to it	38 mm	1 1/2 inch
x	Number of jaws	3	3

845-2-B Product data sheet www.kukko.com



Technologies



AUTOGRIP

The jaws clamp and center automatically.



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
844-020	Thread bushing for pullers 844 and 845
800	Short hydraulic spindle.
844-150	Jaws (individual)
845-000	Cross-beam for 3-jaw puller 845

Accessories

Art. No.	Product name
8-HP-100	Long hydraulic spindles with handle

Part of

Art. No.	Product name
845-150	Hydraulic "4 Pullers" - Set with self-centering pulling jaws
845-851	Hydraulic "10 Pullers" - Set with self-centering pulling jaws
845-855	Universal hydraulic puller set with separator
845-858	Universal hydraulic puller and extractor set with self-centering jaws with separator

845-2-B Product data sheet www.kukko.com



Also included in

Art. No.	Product name
845-150	Hydraulic "4 Pullers" - Set with self-centering pulling jaws
845-851	Hydraulic "10 Pullers" - Set with self-centering pulling jaws
845-855	Universal hydraulic puller set with separator
845-858	Universal hydraulic puller and extractor set with self-centering jaws with separator

845-2-B Product data sheet www.kukko.com