



Product name


Universal hydraulic puller set with separator

For removing and separating bearings, gears, discs, etc.

Art. No. 845-855

Series 845-855

EAN 4021176172939



	Technical attribute	Metric	Imperial
	Spread	50 - 250 mm	2 - 9 7/8 inch
	Depth	100 - 250 mm	3 7/8 - 9 7/8 inch
	Diameter of the shaft	25 - 155 mm	1 - 6 1/8 inch
	Depth of side screw	280 - 780 mm	11 1/32 - 30 3/4 inch
	Maximum torque	40 Nm	
	Maximum load	10 t	11 US t
	Weight	37 kg	
	Number of jaws	2/3	2/3



Technologies



AUTOGRIP

The jaws clamp and center automatically.



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
800-050	Extension for hydraulic spindle
800-100	Extension for hydraulic spindle
800-150	Extension for hydraulic spindle
844-100	Jaws (individual)
844-150	Jaws (individual)
844-200	Jaws (individual)
844-250	Jaws (individual)
844-251	Jaws (individual)
800	Short hydraulic spindle.
844-020	Thread bushing for pullers 844 and 845
845-004	2-jaw and 3-jaw combination cross beam.
Y-215-3	Separator for hydraulic push/pull device
015270	Side bolt with nut
818-820	Cross-beam
818-280-P	Pair of bolts with nuts
818-250-P	Pair of bolt extensions



Accessories

Art. No.	Product name
8-HP-100	Long hydraulic spindles with handle

Content

Art. No.	Product name
818-0	Pulling device with hydraulic screw
844-1-B	Universal 2-jaw puller with short hydraulic spindle and self-centering jaws
844-2-B	Universal 2-jaw puller with short hydraulic spindle and self-centering jaws
844-3-B	Universal 2-jaw puller with short hydraulic spindle and self-centering jaws
844-4-B	Universal 2-jaw puller with short hydraulic spindle and self-centering jaws
844-5-B	Universal 2-jaw puller with short hydraulic spindle and self-centering jaws
845-1-B	Universal 3-jaw puller with short hydraulic spindle and self-centering jaws
845-2-B	Universal 3-jaw puller with short hydraulic spindle and self-centering jaws
845-3-B	Universal 3-jaw puller with short hydraulic spindle and self-centering jaws
845-4-B	Universal 3-jaw puller with short hydraulic spindle and self-centering jaws
Y-215-3	Separator for hydraulic push/pull device