



Product name

Universal 2-jaw and 3-jaw puller set with narrow, quick-adjusting pulling jaws

For removing bearings, gears, discs, etc. for tight or difficult-to-access spaces.

Art. No. K-2030-10+S

Series K-2030-10+S

EAN 4021176120060



	Technical attribute	Metric	Imperial
Ū □	Spread	120; 130 mm	4 3/4; 5 1/8 inch
	Depth	100 - 350 mm	3 7/8 - 13 3/4 inch
İΠ	Spread used internal	70 - 180 mm	2 3/4 - 7 1/8 inch
	Hexagon drive (male)	17 mm	
max.	Maximum torque	35 Nm	
max.	Maximum load	2,5 - 3 t	2.5 US t
Δ, Ω	Weight	8.5 kg	



Technologies



QUICK ADJUST

The knurls allow the jaws to be quickly released and moved on the cross-beam without the need for tools.



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

Art. No.	Product name
614160	Mechanical pressure spindle.
614250	Mechanical pressure spindle.
1-93-P	2 narrow, quick adjusting jaws (pair)
1-193-P	2 narrow, quick adjusting jaws (pair)
1-253-P	2 narrow, quick adjusting jaws (pair)
1-93-S	3 narrow, quick adjusting jaws (set)
1-193-S	3 narrow, quick adjusting jaws (set)
1-253-S	3 narrow, quick adjusting jaws (set)
1-V-100-S	3 jaw extensions (set)
20-10-T	2-jaw cross bar
30-10-T	Cross-beam

Accessories

Art. No.	Product name
K-600-014	Set of interchangeable pressure pads for KUKKO pressure screws



Content

Art. No.	Product name
20-10+S	Universal 2-jaw puller with narrow, quick adjusting jaws
30-10-T	Cross-beam
614250	Mechanical pressure spindle.
1-93-E	Jaws, individual
1-193-S	3 narrow, quick adjusting jaws (set)
1-253-S	3 narrow, quick adjusting jaws (set)

Part of

Art. No.	Product name
EVLW-2-INDUSTRIE	Display
EVLW-2-KFZ	Merchandiser, automotiv pullers