



Product name

Universal 2-jaw and 3-jaw puller set with quick-adjusting pulling jaws

For removing bearings, gears, discs, etc.

Art. No. K-2030-10+

Series K-2030-10+

EAN 4021176001697



	Technical attribute	Metric	Imperial
	Spread	120; 130 mm	4 3/4; 5 1/8 inch
	Depth	100 - 350 mm	3 7/8 - 13 3/4 inch
	Spread used internal	70 - 180 mm	2 3/4 - 7 1/8 inch
	Wrench size	17 mm	
	Maximum torque	80 - 150 Nm	
	Maximum load	4,5 - 6,0 t	4.5 US t
	Weight	9.26 kg	



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



QUICK ADJUST

The knurls allow the jaws to be quickly released and moved on the cross-beam without the need for tools.



Accessories

Art. No.**Product name**

K-600-014

Set of interchangeable pressure pads for KUKKO pressure screws

Content

Art. No.**Product name**

30-10-T

Cross-beam

614250

Mechanical pressure spindle.

1-92-E

Jaws, individual

1-192-S

3 quick adjusting jaws (set)

1-252-S

3 quick adjusting jaws (set)

20-10+

Universal 2-jaw puller with quick adjusting jaws