



Product name

Set of universal 2- and 3-jaw pullers

For removing bearings, gears, discs, etc.

Art. No. K-2030-10

Series K-2030-10

EAN 4021176974748



	Technical attribute	Metric	Imperial
	Spread	120; 130 mm	4 3/4; 5 1/8 inch
	Depth	100 - 350 mm	3 7/8 - 13 3/4 inch
	Spread used internal	70 - 180 mm	2 3/4 - 7 1/8 inch
	Hexagon drive (male)	17 mm	
	Maximum torque	80 Nm	
max.	Maximum load	4,5 - 6,0 t	4.5 US t
	Weight	9.19 kg	
J _x	Number of jaws	3	3



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



Spare part

Art. No.	Product name
614160	Mechanical pressure spindle.
614250	Mechanical pressure spindle.
20-10-P3	Universal 2-jaw puller, in set
1-90-P	2 pulling jaws (pair)
1-190-P	2 extended jaws (pair)
1-250-P	2 extended jaws (pair)
1-90-S	3 pulling arms (set)
1-190-S	3 pulling arms (set)
1-250-S	3 pulling arms (set)
1-90-E	Jaws (individual)
1-190-E	Jaw with extension (indiv.)
1-250-E	Jaw with extension (indiv.)
20-10-T	2-jaw cross bar
30-10-T	Cross-beam



Accessories

Art. No.	Product name
K-600-014	Set of interchangeable pressure pads for KUKKO pressure screws

Content

Art. No.	Product name
20-10-P3	Universal 2-jaw puller, in set
30-10-T	Cross-beam
614250	Mechanical pressure spindle.
1-90-E	Jaws (individual)
1-190-E	Jaw with extension (indiv.)
1-250-E	Jaw with extension (indiv.)