



Product name

Ball bearing extracting set with counterstay and slide hammer








For extracting inner bearings, bearing outer rings and bushings.

Art. No. K-22-A-E

Series K-22-E

EAN 4021176140471



| | Technical attribute | Metric | Imperial |
|--|------------------------------------|------------------|------------------|
|  | Inner diameter of ball bearing | 4,8 - 16 mm | 3/16 - 5/8 inch |
|  | Overall length of slide hammer | 240 mm | 9 3/8 inch |
|  | Mass of impact | 0,5 kg | |
|  | Slide hammer rod connection thread | M10 | M10 |
|  | Internal thread | M10 | M10 |
|  | Threaded adapters (IG + AG) | AG: M10 - IG: M7 | AG: M10 - IG: M7 |
|  | Weight | 2.8 kg | |



Technologies



LIGHT SHIFT

Free-moving, self-retaining jaws
with internal spring washer.



Accessories

| Art. No. | Product name |
|-----------------|------------------------------|
| G-22 | 3-K handle for slide hammers |

Content

| Art. No. | Product name |
|-----------------|--|
| 22-0 | Slide hammer device |
| 22-1 | Counterstay |
| 21-0-E | Internal extractor with segmented grasp edge |
| 21-00-E | Internal extractor with segmented grasp edge |
| 21-01-E | Internal extractor with segmented grasp edge |
| 21-1-E | Internal extractor with segmented grasp edge |

Can be used alternatively with

| Art. No. | Product name |
|-----------------|---------------------|
| 21-0 | Internal extractor |
| 21-00 | Internal extractor |
| 21-01 | Internal extractor |
| 21-2 | Internal extractor |
| 21-3 | Internal extractor |
| 21-4 | Internal extractor |



Can be used alternatively with

| Art. No. | Product name |
|-----------------|--|
| 21-5 | Internal extractor |
| 21-2-E | Internal extractor with segmented grasp edge |
| 21-3-E | Internal extractor with segmented grasp edge |
| 21-4-E | Internal extractor with segmented grasp edge |