



Product name


Ball bearing extracting set with counterstay and slide hammer








For extracting inner bearings, bearing outer rings and bushings.

Art. No. K-22-C-E

Series K-22-E

EAN 4021176140402



	Technical attribute	Metric	Imperial
	Inner diameter of ball bearing	4,8 - 34 mm	3/16 - 1 3/8 inch
	Overall length of slide hammer	240 mm	9 3/8 inch
	Mass of impact	0,5 kg	
	Slide hammer rod connection thread	M10	M10
	Internal thread	M10	M10
	Threaded adapters (IG + AG)	AG: M10 - IG: M7	AG: M10 - IG: M7
	Weight	3.405 kg	



Technologies



LIGHT SHIFT

Free-moving, self-retaining jaws
with internal spring washer.



Accessories

Art. No.	Product name
G-22	3-K handle for slide hammers

Content

Art. No.	Product name
22-0	Slide hammer device
22-1	Counterstay
21-0-E	Internal extractor with segmented grasp edge
21-00-E	Internal extractor with segmented grasp edge
21-01-E	Internal extractor with segmented grasp edge
21-1-E	Internal extractor with segmented grasp edge
21-2-E	Internal extractor with segmented grasp edge
21-3-E	Internal extractor with segmented grasp edge
21-4-E	Internal extractor with segmented grasp edge



Can be used alternatively with

Art. No.	Product name
21-0	Internal extractor
21-00	Internal extractor
21-01	Internal extractor
21-02	Internal extractor
21-1	Internal extractor
21-2	Internal extractor
21-3	Internal extractor
21-4	Internal extractor
21-5	Internal extractor