



产品名称


“PULLPO”球轴拉马套装

拆卸开槽滚珠轴承而不造成损坏，且无需拆卸轴。

编号 K-70-C

系列 K-70

EAN 4021176019999



技术规格

公制

英制



球轴ISO

6000-6020;
6200-6212;
6300-6311;
6403-64086000-6020;
6200-6212;
6300-6311;
6403-6408

球轴内径

10 - 100 mm

3/8 - 3 7/8 inch



球轴外径

26 - 150 mm

1 1/32 - 5 7/8 inch



六角驱动 (公)

13; 17 mm



爪长 K-70

70; 156 mm

2 3/4; 6 3/16 inch



环数

13 St. / pcs.

13 St. / pcs.



拉马爪数量

14

14



支撑环直径

19 - 77,5 mm

3/4 - 3 1/16 inch



空心轴球轴承的反压垫。

10 - 42 mm

3/8 - 1 5/8 inch




反向压力垫的数量

4 St. / pcs.

4 St. / pcs.



	Technisches Attribut	公制	英制
	反向压力垫的直径	35 - 80 mm	1 3/8 - 3 3/16 inch
	重量	7.125 kg	



技术



PULLPO

特殊的横梁形状可以实现安全简单的悬挂、拉马爪平稳自动张紧。



配件

编号	产品名称
70-01-T	横梁
70-02-T	横梁
70-011	拉马爪3件
70-012	拉马爪3件
70-021	拉马爪4件
70-022	拉马爪4件
610120	主轴
614242	主轴
70-01-R	支撑环套装
70-02-R	支撑环套装
700117	小压力垫
700217	大压力垫
70-021-S	四只替换细拉马爪带环（红色）

附件

编号	产品名称
22-0-1	滑锤设备
GA1415-12	内部提取 (IG + AG)
G-22	3-K 手柄用于滑锤



部分

编号

产品名称

EVLW-2-INDUSTRIE

展示