



Product name

Puller product range - commercial vehicles - BASIC

For clean and orderly storage of various KUKKO products in your workshop.

Art. No.	WT-008	
Series	WT-008	
EAN	4021176890604	

	Technical attribute	Metric	Imperial
\Box	Spread	200 mm	7 7/8 inch
	Depth	150 - 200 mm	5 7/8 - 7 7/8 inch
Ø	Diameter of the shaft	22 - 115 mm	7/8 - 4 1/2 inch
max.	Maximum load	10 t	11 US t
$\Delta^{T}\Delta$	Weight	18.1 kg	
×	Number of jaws	3	3



Technologies



GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



QUICK ADJUST

The knurls allow the jaws to be quickly released and moved on the cross-beam without the need for tools.



SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
20-20+	Universal 2-jaw puller with quick adjusting jaws
2-300-S	3 pulling arms (set)
2-151-S	3 narrow jaws (set)
2-302-S	3 pulling arms (set)
2-153-S	3 narrow, quick adjusting jaws (set)
2-150-Е	Jaw with extension (indiv.)
2-152-Е	Jaws, individual
30-20-T3	3-jaw cross bar
15-2	Separators
20-20	2-jaw puller

Content

Art. No.	Product name
20-20	2-jaw puller
8-01	Long hydraulic spindle
15-2	Separators
20-20+	Universal 2-jaw puller with quick adjusting jaws
2-300-S	3 pulling arms (set)
2-151-S	3 narrow jaws (set)
2-302-S	3 pulling arms (set)



Content

Art. No.	Product name
2-153-S	3 narrow, quick adjusting jaws (set)
2-150-E	Jaw with extension (indiv.)
2-152-E	Jaws, individual
30-20-T3	3-jaw cross bar
WT-000	Wall panel, blank