

Product name

## Puller product range - interior pulling - BASIC







For clean and orderly storage of various KUKKO products in your workshop.

Art. No. WT-017

Series WT-017

EAN 4021176141478



	Technical attribute	Metric	Imperial
	Inner diameter of ball bearing	12 - 70 mm	3/16 - 2 3/4 inch
	Effective depth	25-85 mm	1 - 3 3/8 inch
	Length of internal extractor	72 - 133 mm	2 7/8 - 5 1/4 inch
	Spread counter support	55 - 100 mm	2 3/16 - 3 7/8 inch
	Counterstay reach	120 - 165 mm	4 3/4 - 6 1/2 inch
max.	Maximum load	4 t	4 US t
	Weight	20.93 kg	



## Technologies



### LIGHT SHIFT

Free-moving, self-retaining jaws with internal spring washer.



### EASY SCREW

The built-in thrust bearing facilitates rotation through reduced frictional resistance.



## Content

<b>Art. No.</b>	<b>Product name</b>
22-0	Slide hammer device
22-0-1	Slide hammer device
22-1	Counterstay
22-2	Counterstay
21-1	Internal extractor
21-2	Internal extractor
21-3	Internal extractor
21-4	Internal extractor
21-5	Internal extractor
21-6	Internal extractor
21-7	Internal extractor
21-8	Internal extractor
21-1-E	Internal extractor with segmented grasp edge
21-2-E	Internal extractor with segmented grasp edge
21-3-E	Internal extractor with segmented grasp edge
21-4-E	Internal extractor with segmented grasp edge
21-5-E	Internal extractor with segmented grasp edge
728K-A2	Circlip pliers, external, straight
729K-J2	Circlip pliers, internal, straight
WT-000	Wall panel, blank