



Product name

Hydraulic 3-jaw pullers with adjustable reach, with hydraulic hollow ram for pump drive

For removing particularly large and tight bearings, gears, discs, etc.

Art. No.	Y28-206
Series	Y-206
EAN	4021176036248



	Technical attribute	Metric	Imperial
Φ	Spread	280 - 500 mm	11 1/32 - 19 3/4 inch
T I	Depth	300 mm	11 7/8 inch
max.	Maximum pressure	525 bar	525 bar
\mathbf{t}	Maximum load as a 2-arm puller	20 t	16.5 US t
	Maximum load as a 3-arm puller	22 t	22.0 US t
$\Delta^{\!\!\!\!\!\!\!\!}\Delta$	Weight	31.48 kg	
± ↑	Space below	33 mm	1 3/8 inch
	Space next to it	102 mm	4 1/32 inch
×	Number of jaws	3	3

KUKKO // Pull forward



Technologies



HYDRAULIC

Pullers with hydraulic function.



Spare part

Art. No.	Product name
YRH-202	Hydraulic hollow ram
Y205-00	Jaw (individual) with accessories
Y206-30	3-jaw cross bar
Y205-20	2-jaw cross bar
Y218-10	Crank
Y218-11	Mechanical screw

Accessories

Art. No.	Product name
Y205-27	Jaw (individual) with accessories