



Product name *

Hydraulic 3-jaw pullers with adjustable reach, with hydraulic hollow ram for pump drive

For removing particularly large and tight bearings, gears, discs, etc.

Art. No. Y58-206

Series Y-206

EAN 4021176038228



Technical attribute	Metric	Imperial
Spread	460 - 1200 mm	18 1/8 - 44 inch
Depth	700 mm	27 5/8 inch
Maximum pressure	498 bar	498 bar
Maximum load as a 2-arm puller	45 t	49.6 US t
Maximum load as a 3-arm puller	50 t	55.1 US t
Weight	125 kg	
Space below	63 mm	2 1/2 inch
Space next to it	155 mm	6 1/8 inch
Number of jaws	3	3
	Spread Depth Maximum pressure Maximum load as a 2-arm puller Maximum load as a 3-arm puller Weight Space below Space next to it	Spread460 - 1200 mmDepth700 mmMaximum pressure498 barMaximum load as a 2-arm puller45 tMaximum load as a 3-arm puller50 tWeight125 kgSpace below63 mmSpace next to it155 mm



Technologies





Spare part

Art. No.	Product name
YRH-603	Hydraulic hollow ram
Y505-00	Jaw (individual) with accessories
Y506-30	3-jaw cross bar
Y505-20	2-jaw cross bar
Y518-10	Crank
Y518-11	Mechanical screw

Y58-206 Product data sheet www.kukko.com