



产品名称 \*

## 液压三爪拉马，夹紧深度可调，带空心活塞杆液压缸，用于泵驱动

用于拆卸特别大且紧的轴承、齿轮、圆盘等。

编号 Y58-206

系列 Y-206

EAN 4021176038228



| 技术规格   | 公制            | 英制               |
|--|---------------|------------------|
|  跨度                   | 460 - 1200 mm | 18 1/8 - 44 inch |
|  深度                   | 700 mm        | 27 5/8 inch      |
|  max. 最大压力            | 498 bar       | 498 bar          |
|  作为两爪拉马的最大负载          | 45 t          | 49.6 US t        |
|  作为三爪拉马的最大负载          | 50 t          | 55.1 US t        |
|  重量                   | 125 kg        |                  |
|  下方空间                 | 63 mm         | 2 1/2 inch       |
|  邻近空间                 | 155 mm        | 6 1/8 inch       |
|  J <sup>x</sup> 拉马爪数量 | 3             | 3                |



## 技术



液压

具有液压功能的拉马。



## 配件

| 编号      | 产品名称       |
|---------|------------|
| YRH-603 | 液压中空油缸     |
| Y505-00 | 拉马爪（单个）带附件 |
| Y506-30 | 三爪横杆       |
| Y505-20 | 两爪横杆       |
| Y518-10 | 曲轴         |
| Y518-11 | 机械螺钉       |